

SETTLED COLLECTION

COMBUSTION

Wood
Gas
Bioethanol

MATERIAL

Travertine
Emperador Brown
Calacatta Viola
Fiore di Bosco
Green Onyx
Walnut Wood

apolo^s



apolo[®]

NEO BURNER



AUTOMATIC BEV® BURNER

The BEV Technology® guarantees burning that is free of smoke, odor, or ash. Flue not required. This technology creates a flame by burning ethanol vapors, ensuring that the fire has no direct contact with the liquid fuel.



REMOTE CONTROL

Easily control your fireplace with the handy remote. You're in charge of the flames. Go for one of 3 flame levels to adjust the ambience and coziness to your needs.



AUTOMATIC REFILLING

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.



INTEGRATED CONTROL PANEL

Experience the ultimate convenience with the integrated control panel, featuring an intuitive design that lets you effortlessly adjust the flame height to create the perfect ambience.



INNOVATIVE BURNER

Experience the warmth and ambience of a larger flame with Neo, featuring a specially designed burner filled with foamed glass to expand the fire's width for a more captivating and radiant glow.



DECORATIVE LOGS

Enhance your fireplace's aesthetic with our tray of new decorative logs, adding a touch of elegance and warmth to any room.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Shelter Fireplace Design Lda., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Shelter Fireplace Design Lda."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Shelter Fireplace Design Lda. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Shelter Fireplace Design Lda. Customers using or selling Shelter Fireplace Design Lda. Products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Shelter Fireplace Design Lda. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing on the lowest flame level. The actual consumption of individual devices may vary. The images are indicative only.

apolo^{•s}

TRAVERTINE



| Model | Dimensions (mm) | Code | Combustion | Technical Info |
|---------------------|--------------------------------------|------------|------------|--|
| Apolo Travertine | W: 1400 mm H: 300 mm D: 800 mm | AP 03 B 23 | Bioethanol | Automatic BEV [®] Ethanol Burner Burn time: 7.15 hrs Capacity: 5.8 L Heat: max. 7.0 kW Room size: min. 70 m³ |

apolo[®]

EMPERADOR BROWN



| Model | Dimensions (mm) | Code | Combustion | Technical Info |
|--------------------------|--------------------------------------|------------|------------|--|
| Apolo Emperador Brown | W: 1400 mm H: 300 mm D: 800 mm | AP 12 B 23 | Bioethanol | Automatic BEV [®] Ethanol Burner Burn time: 7.15 hrs Capacity: 5.8 L Heat: max. 7.0 kW Room size: min. 70 m³ |

apolo^{•s}

CALACATTA VIOLA



| Model | Dimensions (mm) | Code | Combustion | Technical Info |
|-----------------|-----------------|------------|------------|---------------------------------|
| Apolo | W: 1400 mm | AP 14 B 23 | Bioethanol | Automatic |
| Calacatta Viola | H: 300 mm | | | BEV [®] Ethanol Burner |
| | D: 800 mm | | | |
| | | | | Burn time: 7.15 hrs |
| | | | | Capacity: 5.8 L |
| | | | | Heat: max. 7.0 kW |
| | | | | Room size: min. 70 m³ |

apolo^{•s}

FIORE DI BOSCO



| Model | Dimensions (mm) | Code | Combustion | Technical Info |
|-------------------------|--------------------------------------|------------|------------|--|
| Apolo Fiore Di Bosco | W: 1400 mm H: 300 mm D: 800 mm | AP 13 B 23 | Bioethanol | Automatic BEV [®] Ethanol Burner Burn time: 7.15 hrs Capacity: 5.8 L Heat: max. 7.0 kW Room size: min. 70 m³ |

apolo^{•s}

GREEN ONYX



| Model | Dimensions (mm) | Code | Combustion | Technical Info |
|---------------------|--------------------------------------|------------|------------|--|
| Apolo Green Onyx | W: 1400 mm H: 300 mm D: 800 mm | AP 11 B 23 | Bioethanol | Automatic BEV [®] Ethanol Burner Burn time: 7.15 hrs Capacity: 5.8 L Heat: max. 7.0 kW Room size: min. 70 m³ |

apolo[®]


WALNUT WOOD



| Model | Dimensions (mm) | Code | Combustion | Technical Info |
|----------------------|--------------------------------------|------------|------------|--|
| Apolo Walnut Wood | W: 1400 mm H: 300 mm D: 800 mm | AP 08 B 23 | Bioethanol | Automatic BEV [®] Ethanol Burner Burn time: 7.15 hrs Capacity: 5.8 L Heat: max. 7.0 kW Room size: min. 70 m³ |

apolo^{•s}

NEO BURNER



TECHNICAL DRAWING [DOWNLOAD 2D](#) [DOWNLOAD 3D](#)

| Material | Code | Burner | Technical Info |
|-------------------|------------|-------------------------|-----------------------|
| ● TRAVERTINE | AP 03 B 23 | 2 Stage flame height | Burn time: 7.15 hrs |
| ● EMPERADOR BROWN | AP 12 B 23 | Remote control included | Capacity: 5.8 L |
| ● CALACATTA VIOLA | AP 14 B 23 | Automatic refill system | Heat: max. 7.0 kW |
| ● FIORE DI BOSCO | AP 13 B 23 | CO2 sensor | Room size: min. 70 m3 |
| ● GREEN ONYX | AP 11 B 23 | Ceramics logs included | Weight 21 kg |
| ● WALNUT WOOD | AP 08 B 23 | | Power supply 230 V |
| | | | Bioethanol 95 - 96,6% |
| | | | Indoor use only |

Control Options

Shelter APP



included



Control the fire with your smartphone

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Shelter Fireplace Design Lda., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Shelter Fireplace Design Lda."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Shelter Fireplace Design Lda.. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Shelter Fireplace Design Lda. Customers using or selling Shelter Fireplace Design Lda. Products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Shelter Fireplace Design Lda. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing on the lowest flame level. The actual consumption of individual devices may vary. The images are indicative only.