

SETTLED COLLECTION

COMBUSTION

Wood
Gas
Bioethanol

MATERIAL

Travertine
Emperador Brown
Green Onyx
Calacatta Viola
Fiore di Bosco

corinthian [®]



corinthian^s

CLOVER - CAMPFIRE BURNER



AUTOMATIC BEV® BURNER

The BEV Technology® guarantees burning that is free of smoke, odor, or ash. Flue not required. This technology creates a flame by burning ethanol vapors, ensuring that the fire has no direct contact with the liquid fuel.



REMOTE CONTROL

Easily control your fireplace with the handy remote. You're in charge of the flames. Go for one of 3 flame levels to adjust the ambience and coziness to your needs.



AUTOMATIC REFILLING

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.



INTEGRATED CONTROL PANEL

Experience the ultimate convenience with the integrated control panel, featuring an intuitive design that lets you effortlessly adjust the flame height to create the perfect ambience.



MOBILE APP

A fireplace controlled by an app offers the convenience of adjusting flame settings and ambience remotely, enhancing comfort and ease of use.



DECORATIVE LOGS

Enhance your fireplace's aesthetic with our tray of new decorative logs, adding a touch of elegance and warmth to any room.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Shelter Fireplace Design Lda., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Shelter Fireplace Design Lda."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Shelter Fireplace Design Lda. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Shelter Fireplace Design Lda. Customers using or selling Shelter Fireplace Design Lda. Products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Shelter Fireplace Design Lda. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing on the lowest flame level. The actual consumption of individual devices may vary. The images are indicative only.

corinthian[®]

EMPERADOR BROWN AND OLD GOLD



Model	Dimensions (mm)	Code	Combustion	Technical Info
Corinthian	W: 2300 mm	CO 12 07 B 25	Bioethanol	Automatic
Emperador Brown	H: 1200 mm			BEV [®] Ethanol Burner
	D: 750 mm			
				Burn time: 7.15 hrs
				Capacity: 5.8 L
				Heat: max. 7.0 kW
				Room size: min. 70 m³

corinthian^{•s}

FIORE DI BOSCO AND NEUTRAL



Model	Dimensions (mm)	Code	Combustion	Technical Info
Corinthian	W: 2300 mm	CO 13 06 B 25	Bioethanol	Automatic
Fiore di Bosco	H: 1200 mm			BEV [®] Ethanol Burner
	D: 750 mm			
				Burn time: 7.15 hrs
				Capacity: 5.8 L
				Heat: max. 7.0 kW
				Room size: min. 70 m³

corinthian^s

GREEN ONYX AND OLD GOLD



Model	Dimensions (mm)	Code	Combustion	Technical Info
Corinthian	W: 2300 mm	CO 11 07 B 25	Bioethanol	Automatic
Green Onyx	H: 1200 mm			BEV [®] Ethanol Burner
	D: 750 mm			Burn time: 7.15 hrs
				Capacity: 5.8 L
				Heat: max. 7.0 kW
				Room size: min. 70 m ³



corinthian[®]

CALACATTA VIOLA AND NEUTRAL


Model	Dimensions (mm)	Code	Combustion	Technical Info
Corinthian	W: 2300 mm	CO 14 06 B 25	Bioethanol	Automatic
Calacatta Viola	H: 1200 mm			BEV [®] Ethanol Burner
	D: 750 mm			
				Burn time: 7.15 hrs
				Capacity: 5.8 L
				Heat: max. 7.0 kW
				Room size: min. 70 m³

corinthian^s

TRAVERTINO AND OLD GOLD



Model	Dimensions (mm)	Code	Combustion	Technical Info
Corinthian	W: 2300 mm	CO 03 07 B 25	Bioethanol	Automatic
Travertino	H: 1200 mm			BEV [®] Ethanol Burner
	D: 750 mm			
				Burn time: 7.15 hrs
				Capacity: 5.8 L
				Heat: max. 7.0 kW
				Room size: min. 70 m³



corinthian^s

CLOVER - CAMPFIRE BURNER

TECHNICAL DRAWING [DOWNLOAD 2D](#) [DOWNLOAD 3D](#)

Material	Code	Burner	Technical Info
● TRAVERTINE	CO 03 07 B 25	3 Stage flame height	Burn time: 7.15 hrs
● EMPERADOR BROWN	CO 12 07 B 25	Mobile app control	Capacity: 5.8 L
● GREEN ONYX	CO 11 07 B 25	Remote control included	Heat: max. 7.0 kW
● CALACATTA VIOLA	CO 14 06 B 25	SHS compatible	Room size: min. 70 m3
● FIORE DI BOSCO	CO 13 06 B 25	Automatic refill system	Weight 21 kg
		CO2 sensor	Power supply 230 V
		Ceramics logs included	Bioethanol 95 - 96,6%
		Woodchips included	Indoor use only

Control Options

Shelter APP



included



included



optional



Control the fire with your smartphone

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Shelter Fireplace Design Lda., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Shelter Fireplace Design Lda."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Shelter Fireplace Design Lda.. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Shelter Fireplace Design Lda. Customers using or selling Shelter Fireplace Design Lda. Products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Shelter Fireplace Design Lda. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing on the lowest flame level. The actual consumption of individual devices may vary. The images are indicative only.