

SETTLED COLLECTION

COMBUSTION

Bioethanol

MATERIAL

Travertine

Emperador Brown

Green Onyx

Calacatta Viola

Fiore di Bosco

Neutral | Old God

# tuscan<sup>®</sup>



tuscan<sup>®</sup>

TRAVERTINO AND OLD GOLD



Model	Dimensions (mm)	Code	Combustion	Technical Info
TUSCAN	W: 1500 mm	TU TV B 24	BIOETHANOL	CLOVER
Travertino	H: 800 mm		3 Stage Flame	Automatic BEV <sup>®</sup>
Old Gold	D: 460 mm		Mobile app control	Ethanol Burner
			Remote control	Burn time: 7.15 hrs
			SHS compatible	Capacity: 5.8 L
			Automatic Refill	Heat: max. 7.0 kW
			CO2 sensor	Room size: min. 70 m³
			Ceramics Logs	
			Woodchips	

tuscan<sup>®</sup>

EMPERADOR BROWN AND OLD GOLD



Model	Dimensions (mm)	Code	Combustion	Technical Info
TUSCAN	W: 1500 mm	TU EB B 24	BIOETHANOL	CLOVER
Emperador Brown	H: 800 mm		3 Stage Flame	Automatic BEV <sup>®</sup>
Old Gold	D: 460 mm		Mobile app control	Ethanol Burner
			Remote control	Burn time: 7.15 hrs
			SHS compatible	Capacity: 5.8 L
			Automatic Refill	Heat: max. 7.0 kW
			CO2 sensor	Room size: min. 70 m³
			Ceramics Logs	
			Woodchips	



tuscan<sup>®</sup>

CALACATTA VIOLA AND NEUTRAL



Model	Dimensions (mm)	Code	Combustion	Technical Info
TUSCAN	W: 1500 mm	TU CV B 24	BIOETHANOL	CLOVER
Calacatta Viola	H: 800 mm		3 Stage Flame	Automatic BEV <sup>®</sup>
Neutral	D: 460 mm		Mobile app control	Ethanol Burner
			Remote control	Burn time: 7.15 hrs
			SHS compatible	Capacity: 5.8 L
			Automatic Refill	Heat: max. 7.0 kW
			CO2 sensor	Room size: min. 70 m³
			Ceramics Logs	
			Woodchips	



# tuscan<sup>®</sup>

GREEN ONYX AND OLD GOLD



Model	Dimensions (mm)	Code	Combustion	Technical Info
Tuscan Green Onyx Old Gold	W: 1500 mm H: 800 mm D: 460 mm	TU GO B 24	BIOETHANOL  3 Stage Flame Mobile app control Remote control SHS compatible  Automatic Refill CO2 sensor  Ceramics Logs Woodchips	CLOVER Automatic BEV <sup>®</sup> Ethanol Burner  Burn time: 7.15 hrs Capacity: 5.8 L Heat: max. 7.0 kW Room size: min. 70 m <sup>3</sup>

tuscan<sup>®</sup>

IORE DI BOSCO AND NEUTRAL



Model	Dimensions (mm)	Code	Combustion	Technical Info
TUSCAN	W: 1500 mm	TU FB B 24	BIOETHANOL	CLOVER
Fiore di Bosco	H: 800 mm		3 Stage Flame	Automatic BEV <sup>®</sup>
Neutral	D: 460 mm		Mobile app control	Ethanol Burner
			Remote control	Burn time: 7.15 hrs
			SHS compatible	Capacity: 5.8 L
			Automatic Refill	Heat: max. 7.0 kW
			CO2 sensor	Room size: min. 70 m <sup>3</sup>
			Ceramics Logs	
			Woodchips	

tuscan<sup>•s</sup>

NEUTRAL



Model	Dimensions (mm)	Code	Combustion	Technical Info
TUSCAN	W: 1500 mm	TU NT B 24	BIOETHANOL	CLOVER
Neutral	H: 800 mm		3 Stage Flame	Automatic BEV <sup>®</sup>
	D: 460 mm		Mobile app control	Ethanol Burner
			Remote control	Burn time: 7.15 hrs
			SHS compatible	Capacity: 5.8 L
			Automatic Refill	Heat: max. 7.0 kW
			CO2 sensor	Room size: min. 70 m³
			Ceramics Logs	
			Woodchips	



tuscan<sup>®</sup>

OLD GOLD



Model	Dimensions (mm)	Code	Combustion	Technical Info
TUSCAN	W: 1500 mm	TU OG B 24	BIOETHANOL	CLOVER
Old Gold	H: 800 mm		3 Stage Flame	Automatic BEV <sup>®</sup>
	D: 460 mm		Mobile app control	Ethanol Burner
			Remote control	Burn time: 7.15 hrs
			SHS compatible	Capacity: 5.8 L
			Automatic Refill	Heat: max. 7.0 kW
			CO2 sensor	Room size: min. 70 m³
			Ceramics Logs	
			Woodchips	

# Clover<sup>®</sup>

CAMPFIRE BURNER



## AUTOMATIC BEV<sup>®</sup> BURNER

The BEV Technology<sup>®</sup> guarantees burning that is free of smoke, odor, or ash. This technology creates a flame by burning ethanol vapors, ensuring that the fire has no direct contact with the liquid fuel.



## REMOTE CONTROL

Easily control your fireplace with the handy remote. You're in charge of the flames. Go for one of 3 flame levels to adjust the ambience and coziness to your needs.



## AUTOMATIC REFILLING

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.



## INTEGRATED CONTROL PANEL

Experience the ultimate convenience with the integrated control panel, featuring an intuitive design that lets you effortlessly adjust the flame height to create the perfect ambience.



## MOBILE APP

A fireplace controlled by an app offers the convenience of adjusting flame settings and ambience remotely, enhancing comfort and ease of use.




## DECORATIVE LOGS

Enhance your fireplace's aesthetic with our tray of new decorative logs, adding a touch of elegance and warmth to any room.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Shelter Fireplace Design Lda., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Shelter Fireplace Design Lda."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Shelter Fireplace Design Lda. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Shelter Fireplace Design Lda. Customers using or selling Shelter Fireplace Design Lda. Products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Shelter Fireplace Design Lda. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing on the lowest flame level. The actual consumption of individual devices may vary. The images are indicative only.

tucan<sup>®</sup>

CLOVER - CAMPFIRE BURNER



TECHNICAL DRAWING

[DOWNLOAD 2D](#)

[DOWNLOAD 3D](#)

Material	Code	Burner	Technical Info
TRAVERTINE	TU TV B 24	3 Stage flame height	Automatic
EMPERADOR BROWN	TU EB B 24	Mobile app control	BEV <sup>®</sup> Ethanol Burner
GREEN ONYX	TU GO B 24	Remote control included	
CALACATTA VIOLA	TU CV B 24	SHS compatible	Burn time: 7.15 hrs
FIORE DI BOSCO	TU FB B 24	Automatic refill system	Capacity: 5.8 L
NEUTRAL		CO2 sensor	Heat: max. 7.0 kW
OLD GOLG		Ceramics logs included	Room size: min. 70 m³
		Woodchips included	

Control Options

Shelter APP



included



included



optional



Control the fire with your smartphone

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Shelter Fireplace Design Lda., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Shelter Fireplace Design Lda."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Shelter Fireplace Design Lda.. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Shelter Fireplace Design Lda. Customers using or selling Shelter Fireplace Design Lda. Products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Shelter Fireplace Design Lda. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing on the lowest flame level. The actual consumption of individual devices may vary. The images are indicative only.